

National Weather Service Annual Study

2012 Final Presentation



Agenda

- Introduction
- Program Overview
- Survey Methodology
- Key Findings
- Respondent Profile
- Summary Results
- Core Survey
- National Hazardous Weather Services Optional Section
- National Aviation Weather Services Optional Section
- National Marine Weather Services Optional Section
- CSI by Key Segments
- Recommendations

Program Overview

Key Contacts

- NWS: Doug Young, Sal Romano
- > CFI Group: Tim Crowley, Paul Klimecki

Project Background

- > CFI Group has been working with the National Weather Service since 2002
- > Multiple studies have been conducted, including event driven studies, various user groups, and partner studies

Program Objective

- Help NWS achieve its strategic and tactical goals by providing:
 - Feedback on NWS products, services and overall customer satisfaction
 - Recommendations for future focus

Survey Methodology

Data Collection

- Survey link was made available on NWS web pages September 21 October 22
- > A total of 24,272 surveys were completed and used for analysis

Survey Design

- > The survey measured satisfaction with general NWS products and services
- > The survey further measured satisfaction with 3 (optional) specific service areas:
 - Hazardous Weather Services
 - Aviation Weather Services
 - Marine Weather Services

Key Findings

At 84, NWS CSI is solid and much higher than most benchmarks

- > 17 points higher than the Federal Government ACSI
- Consistent with 2011

Majority of respondents are private citizens

- Most are accessing information for personal and recreational use
- Almost all use NWS Web Sources to get weather info many use local/cable TV and over a third mobile devices (rising year on year)

Dissemination Services remains a strongly rated, high-impact driver of customer satisfaction

Ease of locating information on the refreshed site is rated relatively lower than other Dissemination Services attributes

Customers have less confidence in longer-term Routine Temperature and Precipitation Forecasts

Hazardous Weather Warnings are rated well

Not too surprisingly ease of understanding and timeliness receive higher scores than accuracy across hazardous services

User support staff continues to be a strength for NWS

Respondent Profile




General Profile of NWS Respondent

| Ч | Private citizen who resides in the US – primarily in the Central and Eastern Regions. |
|---|--|
| | Uses information for personal and recreational use. |
| | Is between the ages of 45 and 64, male, identifies himself as white and has a post high school degree. |
| | Currently uses NWS Web Sources, Local or cable TV, NOAA Weather Radio, Mobile devices, Non-NWS Web Sources and Commercial radio to gather weather information – most often uses NOAA forecasts, watches, warnings, alerts and also Observational data. |
| | Future plans include the use of Computers, Mobile devices, and NOAA Weather Radio All-Hazards to get NWS information |
| | Typically uses Min/Max temperature forecasts, chance of precipitation forecasts, Wind forecasts and 1 to 4 week National Outlooks. |
| | Has a hazardous weather safety plan (may or may not have a hazardous weather emergency preparedness kit). |
| | Generally not using information to make job related decisions. |
| | |

Almost All Respondents in US; Predominantly in Central and Eastern Region


Nearly all respondents identified themselves as living or working in the United States.

Central Region remains the most highly represented region in 2012 among survey respondents (34%). Eastern, Southern and Western Regions make up the majority of the remaining respondents (29%, 18% and 18%, respectively).



Majority of respondents are from the Private Sector

The vast majority of respondents (85%) indicated they were private citizens. Local government was the next largest sector selected, at 6%, while Commercial, Not-for-profit, and Research/Academia debuted at 5%, 2%, and 2% respectively.



NWS Info mostly for personal use; Aviation mostly private

Sixty percent of respondents are accessing NWS information for personal use. Recreation (13%), agriculture (5%) and emergency response / public safety continue to be other relatively popular uses of NWS information among survey respondents.

For those respondents using NWS information for Aviation purposes, the majority are operating private aircrafts (55% for pleasure, 19% for business).

| | 2010 | 2011 | 2012 | | |
|----------------------------------|--------|--------|--------|---|---------------|
| Primary use of NWS information | | | | | |
| Agriculture | 4% | 5% | 5% | | 2012 |
| Aviation | 1% | 1% | 1% | Type of Aviation | |
| Amateur Radio | 0% | 1% | 1% | Dispatcher | 6% |
| Broadcast/Print Media | 0% | 1% | 1% | Comm Freight | 4% |
| Commodities Markets | 0% | 0% | 0% | Comm Passenger | 15% |
| Consulting Services | 1% | 0% | 0% | Private Business | 19% |
| Education | 1% | 1% | 1% | Private Pleasure | 55% |
| Emergency Response/Public Safety | 9% | 3% | 5% | Number of Respondents | 359 |
| Energy/Utilities | 0% | 1% | 1% | | |
| Environment Rsrc Mgt | 1% | 1% | 1% | | |
| Fire Weather | 0% | 0% | 1% | | |
| Health Care Services | 0% | 0% | 0% | | |
| Internet Provider | 0% | 0% | 0% | | |
| Marine | 0% | 0% | 1% | | |
| NWS Data Provider | 10% | 3% | 3% | As in provious vestes the | mania wika ak |
| Personal | 60% | 64% | 60% | As in previous years, the respondents primarily use | |
| Recreation | 8% | 12% | 13% | information for personal u | |
| Research | 1% | 1% | 1% | | |
| Other | 4% | 6% | 6% | | |
| Number of Respondents | 13,648 | 32,572 | 24,272 | | |

Respondents are primarily using NWS Web Sources, NOAA Weather Radio and Local or Cable TV to get information

NWS Web Sources remains the top weather information source among respondents, while Mobile devices are on the rise. Local or cable TV, NOAA Weather Radio/All Hazards, and non-NWS Web Sources are also frequently used to obtain weather, water and climate information.

NWS Web Sources continue to be most used to receive information.



| | 2010 | 2011 | 2012 |
|-----------------------------------|--------|--------|--------|
| Information sources | | | |
| NWS Web Sources | 97% | 95% | 93% |
| Non-NWS Web Sources | 42% | 31% | 33% |
| Mobile devices | 32% | 32% | 37% |
| Social Media | | 9% | 11% |
| Email Alerts | | | 16% |
| NOAA Weather Radio/All Hazards | 59% | 42% | 41% |
| NOAA Weather Wire | 6% | 6% | 5% |
| Family of Services (FOS) | 5% | 5% | 4% |
| Emerg Mgrs Weather Info Net | 7% | 4% | 4% |
| NOAAPort | 4% | 6% | 5% |
| File transfer services | | | 5% |
| Direct interaction with NWS staff | | | 5% |
| World Area Forecast System | 2% | 2% | 2% |
| DUATS | 2% | 2% | 2% |
| Flight Services | 5% | 4% | 5% |
| Local or cable TV | 65% | 52% | 52% |
| Commercial Radio | 38% | 30% | 29% |
| Satellite radio | 7% | 5% | 4% |
| Satellite TV | 23% | 18% | 16% |
| Newspaper | 21% | 18% | 19% |
| U.S. Coast Guard Broadcasts | 6% | 6% | 6% |
| NAVTEX receiver | 1% | 1% | 1% |
| Immarsat-C SafetyNET | 0% | 0% | 0% |
| Radiofacsimile | 1% | 1% | 1% |
| Other | 2% | 1% | 2% |
| Number of Respondents | 14,049 | 32,532 | 23,607 |

Nearly all respondents use NOAA Forecasts, watches, warnings and/or alerts

Observational data used by about half, while almost a quarter use Model output.

| | Percent | Frequency |
|--------------------------------------|---------|-----------|
| Products use most often | | |
| Forecasts, watches, warnings, alerts | 97% | 23,556 |
| Observational data | 46% | 11,128 |
| Model output | 22% | 5,449 |
| Outreach/educational materials | 6% | 1,390 |
| Other | 4% | 988 |
| Not Applicable/Don't know | 1% | 200 |
| Number of Respondents | 24, | 272 |

Fire Weather Watch or Red Flag Warnings are typically used for planning daily activities or recreation purposes

Among those who do use NWS fire weather products and services (44%), only 30% always take action based on issued watches/warnings – about one quarter rarely or never take action.

| Decisions from NWS fire weather products and services~ | Percentage | Frequency |
|--|------------|-----------|
| Planning daily activities | 30% | 7,181 |
| Recreation | 28% | 6,793 |
| Determining resource requirements | 7% | 1,734 |
| Planning operating hours | 5% | 1,131 |
| Adjusting staffing or planning levels | 4% | 1,038 |
| Other | 4% | 901 |
| I don't use NWS fire weather products and services | 56% | 13,702 |
| Number of Respondents | 24, | 272 |

As would be expected, usage is highest in the Western Region (41% don't use).

| Frequency of action from Fire Weather Watch or a Red Flag Warning | Percentage | Frequency |
|---|------------|-----------|
| Always | 30% | 3,262 |
| Usually | 24% | 2,595 |
| Sometimes | 19% | 2,004 |
| Rarely | 18% | 1,953 |
| Never | 8% | 900 |
| Number of Respondents | 10,714 | |

Future Sources of NWS Info are Computers, Mobile Devices and NOAA Weather Radio

Essentially all respondents anticipate using Desktop/laptop computers to obtain NWS information for the next one to five years. Many indicate they plan on using mobile devices (55%) and/or NOAA Weather Radio All-Hazards (43%), as well.

| | 2010 | 2011 | 2012 |
|-----------------------------------|--------|--------|--------|
| Future source NWS info | | | |
| Desktop/laptop computer | 92% | 95% | 98% |
| Mobile Device | 57% | 59% | 55% |
| Social Media | 19% | 12% | 12% |
| Direct Interaction with NWS Staff | 17% | 6% | 8% |
| NOAA Weather Radio All-Hazards | 59% | 39% | 43% |
| File transfer services | 13% | 7% | 5% |
| Email Alerts* | | | 17% |
| Other | 5% | 3% | 3% |
| Number of Respondents | 14,057 | 32,572 | 24,272 |

^{*} Email Alerts option added 2012

Just under half of respondents have a hazardous weather emergency preparedness kit

Those with a kit typically have had it for more than two years and most often claim "general preparedness" as the reason for its creation; those with no kit usually claim "don't know what to include" or "isn't necessary" as the reason for not having one.

| | Percent | Frequency |
|---|---------|-----------|
| Have hazardous weather emergency preparedness kit | | |
| Have kit | 48% | 11,639 |
| Do not have kit | 52% | 12,633 |
| Number of Respondents | 24,272 | |

| Length of time with kit | | |
|-------------------------|--------|-------|
| For more than two years | 81% | 9,401 |
| For 6 months to 2 years | 16% | 1,851 |
| For less than 6 months | 3% | 387 |
| Number of Respondents | 11,639 | |

| Reason kit created | | |
|---------------------------------|----------------------------|-------|
| Friends and family | 33% | 3,807 |
| General desire to be prepared | 84% | 9,821 |
| An extreme weather event | 40% | 4,651 |
| Be a Force of Nature campaign | 1% | 152 |
| Weather-Ready Nation campaign | 7% | 765 |
| Other public education campaign | 5% | 585 |
| Other | 15% | 1,756 |
| Number of Respondents | mber of Respondents 11,639 | |

| Reason you do not have a kit | | |
|------------------------------|--------|-------|
| Takes too much time | 3% | 407 |
| Too expensive | 6% | 775 |
| Not sure what to include | 34% | 4,277 |
| Don't think it's necessary | 36% | 4,525 |
| Other | 21% | 2,649 |
| Number of Respondents | 12,633 | |

Most respondents have a hazardous weather safety plan and have had it for over two years

Consistent with the reason given for creating a hazardous weather emergency preparedness kit, the clear majority created the safety plan for general preparedness purposes – also consistent with those not having a kit, those without a safety plan aren't sure what to include or don't think a plan is necessary.

| | Percent | Frequency |
|--------------------------------------|---------|-----------|
| Have a hazardous weather safety plan | | |
| Have a plan | 60% | 14,455 |
| Do not have a plan | 40% | 9,817 |
| Number of Respondents | 24,272 | |

| Length of time with plan | | |
|--------------------------|--------|--------|
| For more than two years | 83% | 11,981 |
| For 6 months to 2 years | 14% | 1,970 |
| For less than 6 months | 3% | 504 |
| Number of Respondents | 14,455 | |


| Reason plan created | | | |
|---------------------------------|--------------------|--------|--|
| Friends and family | 42% | 6,006 | |
| General desire to be prepared | 83% | 11,933 | |
| An extreme weather event | 43% | 6,197 | |
| Be a Force of Nature campaign | 1% | 164 | |
| Weather-Ready Nation campaign | 5% | 722 | |
| Other public education campaign | 3% | 474 | |
| Other | 11% | 1,611 | |
| Number of Respondents | Respondents 14,455 | | |

| Reason you do not have a plan | | | |
|-------------------------------|-------|-------|--|
| Takes too much time | 2% | 230 | |
| Too expensive | 1% | 66 | |
| Not sure what to include | 36% | 3,565 | |
| Don't think it's necessary | 45% | 4,442 | |
| Other | 15% | 1,514 | |
| Number of Respondents | 9,817 | | |

Summary Results


NWS Customer Satisfaction Model

From left to right are the components, Customer Satisfaction Index, and outcome measures (sometimes referred to as desired behaviors). Components are a weighted average of specific questions (attributes) asked on the survey. Components are general areas of customer experience that drive customer satisfaction. Impacts, in the light gray boxes, indicate the degree to which each component drives overall customer satisfaction. Impacts on the right side of the customer satisfaction model represent the degree to which customer satisfaction drives each one of the desired behaviors.




NWS Customer Satisfaction Index

There are three standard questions on every CFI Survey that inquire about overall satisfaction, whether the program meets expectations, and how it compares to your concept of an ideal program – these three questions together create the Customer Satisfaction Index (CSI).



NWS Overall CSI Score is 17 Points Higher than the Federal Government Average

The chart below provides CSI for previous NWS projects to compare the 2012 overall NWS satisfaction score against. The 2012 overall NWS score is 17 points above the Federal Government ACSI score of 67 and higher than many of the NWS surveys conducted within the past several years.




Core Survey Detailed Findings

Routine Climate, Water, Weather Detailed Results


Routine Climate, Water, Weather Forecasts

The Routine Climate, Water, Weather Forecasts component is comprised of three types of forecasts: Min/Max Temperature Forecasts, Probability of Precipitation and Amount of Precipitation. Confidence in Probability of Precipitation and Min/Max Temperature forecasts is measured with three specific questions: confidence in forecasts 1 day from now, 3 days from now and 7 days from now. Confidence in Amount of Precipitation Forecasts is measured with similar questions: confidence in forecasts less than 1 day from now, 1 day from now and 3 days from now.



Respondents continue to show confidence in Max/Min Temperature Forecasts

Within the area of Routine Climate, Water, Weather Forecasts, max/min temperature forecasts again received the higher rating, and improved one point to 78 (returning to 2010 levels). Scores for probability of precipitation and amount of precipitation forecasts remain unchanged since 2010.




Confidence in Precipitation and Temperature Forecasts drops considerably more than 3 Days Out

Confidence in Max/Min Temperature and Probability of Precipitation forecasts 1 day from now remains high and consistent with results from last year and 2010. Confidence for these two forecasts 3 days from now drops but is still relatively strong – substantial drops are noted for 7 days out (although less so than in previous years). Confidence in Amount of Precipitation forecasts stays strong less than 1 day out and remains fairly high 1 day from now – a substantial drop is observed after 3 days for this forecast.

| | 2010 | 2011 | 2012 |
|----------------------------------|------|------|------|
| Routine Climate Forecasts | 72 | 72 | 72 |
| Max/min temperature forecasts | 77 | 76 | 77 |
| 1 day from now | 90 | 90 | 89 |
| 3 days from now | 75 | 75 | 76 |
| ✓ / days from now | 54 | 53 | 56 |
| Probability of precipitation | 67 | 67 | 68 |
| 1 day from now | 83 | 84 | 83 |
| 3 days from now | 65 | 65 | 66 |
| 7 days from now | 44 | 45 | 47 |
| Amount of precip forecasts | 66 | 65 | 65 |
| Less than 1 day from now | 80 | 80 | 79 |
| 1 day from now | 65 | 65 | 64 |
| 3 days from now | 47 | 47 | 48 |


Routine Climate, Water, Weather Services

The Routine Climate, Water, Weather Services component is comprised of 15 types of forecasts. Each forecast is measured with two specific questions: ease of understanding and accuracy*.



Scores are strong for most Routine Climate Services products

Below are the overall ratings for each forecast type among those who have used the forecast within the past year. The majority of respondents use the Max/Min Temperature Forecasts (85%) and/or Chance of Precipitation forecasts (84%), while less than a quarter use Wave Height Forecasts (12%) or UV Index Forecasts (18%). Scores range from 90 for UV Index to 79 for 3-Month National Outlooks.



Consistently strong scores for Ease of Understanding are observed across all Forecasts/Outlooks – Accuracy scores are mixed

Overall, forecast types continue to score extremely well on being easy to understand – El Niño/La Niña Outlooks are the only forecasts that have scores in the lower 80s, as was seen in 2011 and 2010. Accuracy ratings are more varied among forecasts, with several in the mid to upper 80s (UV Index highest at 89) to several in the mid to lower 70s (3-Month National Outlook at 70).


| | 2010 | 2011 | 2012 |
|-------------------------------|------|------|------|
| Routine Climate Services | 87 | 88 | 85 |
| Max/min temperature forecasts | 91 | 92 | 90 |
| Ease of Understanding | 92 | 93 | 93 |
| Accuracy | | | 85 |
| Chance of Precip forecast | 87 | 87 | 83 |
| Ease of Understanding | 88 | 89 | 90 |
| Accuracy | | | 74 |
| Cloud Cover forecasts | 87 | 88 | 86 |
| Ease of Understanding | 88 | 89 | 90 |
| Accuracy | | | 81 |
| Wind forecasts | 89 | 89 | 88 |
| Ease of Understanding | 90 | 90 | 91 |
| Accuracy | | | 83 |
| Dew Point forecasts | 89 | 90 | 88 |
| Ease of Understanding | 90 | 90 | 91 |
| Accuracy | | | 85 |
| River Heights-Flow forecasts | 88 | 89 | 88 |
| Ease of Understanding | 88 | 89 | 90 |
| Accuracy | | | 86 |
| UV Index forecasts | 90 | 90 | 91 |
| Ease of Understanding | 90 | 90 | 91 |
| Accuracy | | | 89 |
| Air Quality forecasts | 88 | 89 | 89 |
| Ease of Understanding | 88 | 89 | 90 |
| Accuracy | | | 87 |

| | 2010 | 2011 | 2012 |
|-------------------------------|------|------|------|
| Wave Height forecasts | 87 | 88 | 87 |
| Ease of Understanding | 88 | 89 | 90 |
| Accuracy | | | 82 |
| 1 to 4-Week National Outlooks | 86 | 87 | 83 |
| Ease of Understanding | 87 | 88 | 88 |
| Accuracy | | | 74 |
| 3-Month National Outlooks | 84 | 85 | 80 |
| Ease of Understanding | 85 | 86 | 86 |
| Accuracy | | | 70 |
| El Niño-La Niña Outlooks | 83 | 84 | 80 |
| Ease of Understanding | 82 | 84 | 83 |
| Accuracy | | | 76 |
| 3-Month Drought Outlooks | 86 | 87 | 84 |
| Ease of Understanding | 86 | 87 | 88 |
| Accuracy | | | 79 |
| 3-Month Local Temp Outlooks | 85 | 86 | 82 |
| Ease of Understanding | 86 | 87 | 87 |
| Accuracy | | | 73 |
| Climate Hazard Assessments | | 88 | 86 |
| Ease of Understanding | | 88 | 88 |
| Accuracy | | | 82 |

Hazardous Services Detailed Results


Hazardous Services

The Hazardous Services component is comprised of 10 types of warnings: Hurricane, High Surf, River Flood, Severe Thunderstorm, Extreme Heat, Extreme Cold, Tsunami, Flash Flood, Tornado and Winter Storm, as well 2 other services: Hurricane Local Statement and Hazardous Weather Outlook. Each warning/service is measured with three specific questions: ease of understanding, timeliness and accuracy.



NWS Hazardous weather Warnings/Services continue to be rated well

Scores for NWS warnings/services score well – a slight drop is observed for most products, however sores continue to range from mid 80s to 90.



NWS warnings/services score well across all regions

Although usage patterns differ from region to region, scores for NWS warnings/services products are generally solid – lowest for the Pacific region, but still in the high 70s to low 80s.

| | Central | Region | Eastern | Region | Souther | n Region | Westerr | Region | Alaska Region | | Pacific | Region |
|------------------------------|---------|--------|---------|--------|---------|----------|---------|--------|---------------|------|---------|--------|
| | 20 | 12 | 20 | 12 | 20 | 12 | 20 | 12 | 20 | 12 | 2012 | |
| | Score | Use | Score | Use | Score | Use | Score | Use | Score | Use | Score | Use |
| Hazardous Services | 86 | 99% | 86 | 99% | 87 | 99% | 86 | 98% | 87 | 100% | 80 | 100% |
| Tornado Warnings | 85 | 91% | 84 | 79% | 86 | 90% | 85 | 39% | 88* | 30% | 76 | 51% |
| Severe Thunderstorm Warnings | 87 | 98% | 86 | 98% | 87 | 98% | 85 | 79% | 89* | 30% | 79 | 80% |
| Winter Storm Warnings | 85 | 96% | 85 | 95% | 86 | 75% | 85 | 87% | 87 | 96% | 83 | 51% |
| Hurricane Warnings | 88 | 24% | 88 | 68% | 89 | 70% | 88 | 18% | | 13% | 81 | 86% |
| Flash Flood Warnings | 86 | 73% | 85 | 79% | 86 | 84% | 86 | 59% | 89 | 56% | 81 | 91% |
| River Flood Warnings | 88 | 57% | 87 | 58% | 88 | 57% | 87 | 57% | 87 | 79% | 81 | 43% |
| High Surf Warnings | 88 | 10% | 88 | 30% | 89 | 25% | 89 | 33% | 89* | 17% | 82 | 96% |
| Tsunami Warnings | 84 | 8% | 86 | 11% | 84 | 11% | 86 | 29% | 88 | 73% | 79 | 93% |
| Extreme Cold Warnings | 90 | 86% | 89 | 78% | 89 | 64% | 88 | 68% | 91 | 82% | 81* | 23% |
| Extreme Heat Warnings | 90 | 90% | 90 | 86% | 91 | 90% | 89 | 80% | | 10% | 83* | 32% |
| Hazardous Weather Outlook | 85 | 96% | 84 | 96% | 86 | 96% | 85 | 92% | 86 | 85% | 81 | 83% |
| Hurricane Local Statement | 88 | 10% | 87 | 45% | 88 | 49% | 88 | 9% | | 6% | 81 | 72% |
| Sample Size | 5,5 | 595 | 4,7 | 47 | 2,8 | 2,899 | | 390 | 71 | | 6 | 9 |

*Caution: low base

Tornado Warnings continue to receive strong scores

Tornado Warnings score well, with an overall score of 85. Ease of Understanding is highest rated, followed by Timeliness while Accuracy scores lag somewhat.

Tornado Warnings performs well across regions (a bit lower for Pacific). Consistent with overall scores, Ease of Understanding ratings are higher than both Timeliness and Accuracy.

| | 2010 | 2011 | 2012 |
|-----------------------|------|------|------|
| Tornado Warnings | 85 | 86 | 85 |
| Ease of Understanding | 89 | 89 | 89 |
| Timeliness | 85 | 86 | 85 |
| Accuracy | 80 | 82 | 81 |

| | Central Region | Eastern Region | Southern Region | Western Region | Alaska Region | Pacific Region |
|-----------------------|-------------------|-------------------|--------------------|-------------------|------------------|-------------------|
| | 2012 | 2012 | 2012 | 2012 | 2012 | 2012 |
| Sample Size | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |
| Tornado Warnings | 86 | 84 | 86 | 85 | 88 | 76 |
| Ease of Understanding | 89 | 88 | 89 | 88 | 93 | 82 |
| Timeliness | 85 | 85 | 86 | 85 | 88 | 75 |
| Accuracy | 81 | 79 | 82 | 81 | 82 | 73 |

Half of respondents received a NWS tornado warning and the clear majority are very likely to take cover when issued

Tornado warnings are far more prevalent in the Central, Eastern and Southern regions – regardless of region, most respondents would take cover is a warning was issued. Reasons why respondents would not take action vary; many feel that previous experience leads them to believe their location would not be in danger (or they are in a location where tornados are rare).

| | | Overall | Central Region | Eastern Region | Southern Region | Western Region | Alaska Region | Pacific Region |
|----------|--|---------|-------------------|-------------------|--------------------|-------------------|------------------|-------------------|
| Receiv | ed a NWS tornado warning | | | | | | | |
| Receive | ed warning | 52% | 64% | 58% | 69% | 5% | 0% | 3% |
| Did not | receive warning | 48% | 36% | 42% | 31% | 95% | 100% | 97% |
| Numbe | er of Respondents | 24,272 | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |
| | | | | | | | | |
| Likelih | ood to take protective action if tornado warning issued | | | | | | | |
| Not at a | all likely | 3% | 2% | 3% | 3% | 5% | 10% | 7% |
| Somew | hat likely | 22% | 21% | 27% | 22% | 16% | 18% | 16% |
| Very lik | rely | 75% | 77% | 70% | 75% | 79% | 72% | 77% |
| Numbe | er of Respondents | 24,272 | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |
| | | | | | | | | |
| Reason | n no action would be taken | | | | | | | |
| I do no | t believe I would be directly impacted | 19% | 5% | 17% | 12% | 31% | 43% | 20% |
| I norma | ally wait until I see the threatening weather | 13% | 25% | 12% | 14% | 3% | 0% | 0% |
| Previou | is experiences lead me to believe that my location not in danger | 30% | 19% | 33% | 20% | 35% | 14% | 80% |
| I do no | t trust the accuracy of tornado warnings | 12% | 16% | 15% | 24% | 3% | 0% | 0% |
| Other | | 26% | 35% | 22% | 30% | 27% | 43% | 0% |
| Numbe | ur of Dognandanta | 900 | 105 | 156 | 7.4 | 150 | 7 | |

Note: in many "other" responses respondents say they would not take action due to not living in a tornado zone.

Most respondents think that an actual tornado within 5-10 miles of their location is an accurate warning

About a third of respondents (across regions) feel that their future decision to take cover would be impacted if no tornado occurred following a warning. Still, most feel that the number of warnings issued is "just about right" or that the number of warnings issued is of "no concern" to them.

| | Overall | Central Region | Eastern Region | Southern Region | Western Region | Alaska Region | Pacific Region |
|---|---------|-------------------|-------------------|--------------------|-------------------|------------------|-------------------|
| Distance to consider accurate warning | | | | | | | |
| Within 1 mile of my location | 7% | 6% | 6% | 7% | 5% | 4% | 3% |
| Within 5 miles of my location | 34% | 34% | 33% | 39% | 29% | 25% | 36% |
| Within 10 miles of my location | 37% | 40% | 38% | 35% | 34% | 32% | 20% |
| Within 25 miles of my location | 23% | 19% | 23% | 18% | 32% | 38% | 41% |
| Number of Respondents | 24,272 | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |
| | | | | | | | |
| Warning influence decision if no tornado on prior warning | | | | | | | |
| Not at all influence | 64% | 66% | 62% | 67% | 60% | 61% | 49% |
| Somewhat influence | 26% | 25% | 28% | 23% | 29% | 31% | 29% |
| Highly influence | 10% | 10% | 10% | 10% | 11% | 8% | 22% |
| Number of Respondents | 24,272 | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |
| | | | | | | | |
| Opinion about the number of warnings issued for tornados | | | | | | | |
| Too many tornado warnings issued | 7% | 9% | 7% | 9% | 1% | 0% | 0% |
| Too few tornado warnings issued | 3% | 3% | 3% | 4% | 3% | 1% | 4% |
| Just about the right amount of tornado warnings issued | 52% | 56% | 55% | 57% | 35% | 28% | 30% |
| The number of warnings issued is not a concern to me | 38% | 32% | 35% | 30% | 61% | 70% | 65% |
| Number of Respondents | 24,272 | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |

Severe Thunderstorm Warnings receive strong scores

Severe Thunderstorm Warnings are considered easy to understand and quite timely by respondents, though the level of accuracy is rated somewhat lower (still fairly strong at 83). The same is true across all regions, with ease of understanding and timeliness receiving higher ratings than accuracy.

| | 2010 | 2011 | 2012 |
|------------------------------|------|------|------|
| Severe Thunderstorm Warnings | 86 | 87 | 86 |
| Ease of Understanding | 90 | 90 | 90 |
| Timeliness | 86 | 87 | 86 |
| Accuracy | 83 | 84 | 83 |

| | Central Region | Eastern Region | Southern Region | Western Region | Alaska Region | Pacific Region |
|------------------------------|-------------------|-------------------|--------------------|-------------------|------------------|-------------------|
| | 2012 | 2012 | 2012 | 2012 | 2012 | 2012 |
| Sample Size | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |
| Severe Thunderstorm Warnings | 87 | 86 | 87 | 85 | 89 | 79 |
| Ease of Understanding | 90 | 90 | 90 | 88 | 93 | 80 |
| Timeliness | 87 | 86 | 87 | 85 | 87 | 79 |
| Accuracy | 83 | 82 | 84 | 81 | 86 | 76 |

Winter Storm Warnings are well received by respondents

Winter Storm Warnings, 85, is also rated higher for the ease of understanding and timeliness than for accuracy.

The same holds true across all regions, with accuracy relatively lower rated.


| | 2010 | 2011 | 2012 |
|-----------------------|------|------|------|
| Winter Storm Warnings | 85 | 86 | 85 |
| Ease of Understanding | 89 | 89 | 89 |
| Timeliness | 86 | 87 | 86 |
| Accuracy | 78 | 80 | 79 |

| | Central Region | Eastern Region | Southern Region | Western Region | Alaska Region | Pacific Region |
|-----------------------|-------------------|-------------------|--------------------|-------------------|------------------|-------------------|
| | 2012 | 2012 | 2012 | 2012 | 2012 | 2012 |
| Sample Size | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |
| Winter Storm Warnings | 85 | 85 | 86 | 85 | 87 | 83 |
| Ease of Understanding | 89 | 89 | 89 | 89 | 92 | 86 |
| Timeliness | 86 | 86 | 87 | 86 | 87 | 83 |
| Accuracy | 78 | 79 | 80 | 80 | 81 | 80 |

User Support Services Detailed Results

Strong, improving scores for User Support Services


Within the area of User Support Services, most areas improve and score extremely well. Professionalism and Knowledge receive outstanding scores, while complaint resolution scores lowest, at 85 (still a strong score). These questions are asked among the 35% of respondents who indicate their job is to make decisions based on weather-related information.



Dissemination Services Detailed Results


Dissemination Services scores improve in 2012 overall

Reliability of satellite data and reliability of radar data improve two points each (to 89 and 88, respectively). In the context of the redesigned weather.gov site, Information is up-to-date and Ease of understanding information remain strong in the upper 80s. Ease of locating information continues to trail other components within Dissemination Services, despite the refresh. Continue to focus improvements for Dissemination Services on this area.



Dissemination Services – Automated, modest scores with room to improve


Asked among the 4% of respondents who require automated products for research or commercial purposes, scores for Dissemination Services – Automated ranges largely in the upper 70s, allowing room for some improvement.



Outreach and Weather Education Detailed Results


Outreach and Weather Education – Campaign Effectiveness

Both "When Thunder Roars" and "Turn Around" are considered effective among respondents aware of the campaigns.



Awareness is much higher for the "Turn Around, Don't Drown" campaign – effectiveness is similar


Fewer respondents in the Western Region heard about "Turn Around," while Western, Alaska and Pacific regions report lower awareness of "Thunder" compared to other regions.



Aware

N=24,272

When Thunder Roars Campaign



N=24,272

| | Central Region | Eastern Region | Southern Region | Western Region | Alaska Region | Pacific Region |
|-----------------------|-------------------|-------------------|-----------------|-------------------|------------------|-------------------|
| Campaign Awareness | | | | | | |
| Aware | 63% | 59% | 75% | 39% | 52% | 67% |
| Not Aware | 37% | 41% | 25% | 61% | 48% | 33% |
| Number of Respondents | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |

Not

Aware

| Campaign Effectiveness | ; | | | | | |
|------------------------|----|----|----|----|----|----|
| Effectiveness Score | 75 | 75 | 76 | 73 | 77 | 78 |


| | Central | Eastern | Southern | Western | Alaska | Pacific |
|-----------------------|---------|---------|----------|---------|--------|---------|
| | Region | Region | Region | Region | Region | Region |
| Campaign Awareness | | | | | | |
| Aware | 39% | 36% | 42% | 24% | 15% | 26% |
| Not Aware | 61% | 64% | 58% | 76% | 85% | 74% |
| Number of Respondents | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |

| Campaign Effectiveness | ; | | | | |
|------------------------|----|----|----|----|--------|
| Effectiveness Score | 74 | 76 | 76 | 74 | 83 |

Although recall isn't strong for either term, it is considerably higher for "Weather-Ready Nation"


News media is the most recalled source of awareness for either campaign; respondents in the Western region were less likely to have heard about "Weather Ready Nation".

Weather-Ready Nation



28% of respondents have heard of one or both campaigns

Be a Force of Nature



N=24,272

| Where heard about Weather-Ready Nation | Percent | Frequency |
|--|---------|-----------|
| In the news | 46% | 2,795 |
| On social media | 16% | 954 |
| National Weather Service employee | 14% | 868 |
| At an event | 6% | 394 |
| Other | 18% | 1,077 |
| Number of Respondents | 6,0 | 088 |

N=24,272

| | Central | Eastern | Southern | Western |
|-----------------------|---------|---------|----------|---------|
| Campaign Awareness | | | | |
| Heard Term | 30% | 23% | 29% | 15% |
| Have Not Heard Term | 70% | 77% | 71% | 85% |
| Number of Respondents | 1,698 | 1,101 | 849 | 441 |

| Where heard about Be a Force of Nature | Percent | Frequency |
|--|---------|-----------|
| In the news | 48% | 1,135 |
| On social media | 21% | 505 |
| National Weather Service employee | 13% | 298 |
| At an event | 7% | 164 |
| Other | 12% | 276 |
| Number of Respondents 2,378 | | 378 |

| | Central | Eastern | Southern | Western |
|-----------------------|---------|---------|----------|---------|
| Campaign Awareness | | | | |
| Heard Term | 10% | 10% | 13% | 6% |
| Have Not Heard Term | 90% | 90% | 87% | 94% |
| Number of Respondents | 564 | 454 | 377 | 184 |

Future Behaviors Detailed Results

Users continue to be very likely to use NWS in the future, take action based on information received and are likely to Recommend NWS

As in the past several years, respondents reported an extremely high likelihood that they would take action based on information received from the NWS, continue to use the NWS as a source of weather information in the future and recommend the NWS to a colleague or friend.

| | 2010 | 2011 | 2012 | |
|--------------------------------|--------|--------|--------|---------|
| Sample Size | 14,057 | 32,572 | 24,272 | |
| Likelihood take action | Scores | Scores | Scores | Impacts |
| Likelihood take action on info | 92 | 91 | 90 | 2.9 |
| Likelihood use NWS in future | 96 | 96 | 96 | 2.1 |
| Likelihood to recommend | 94 | 94 | 93 | 3.2 |

National Hazardous Weather Services – Optional Section Detailed Results

SPC Daily and Severe Weather Rankings

Convective Outlooks and Severe Thunderstorm/Tornado Watches have the highest Rank 1 percentage for daily usage at 54% and 40% respectively. Not surprisingly, on severe weather days, Severe Thunderstorm and Tornado Watches receive highest percent used with a Rank 1 percentage of 50%.

| | % Rank 1 | Average Rank | % Use |
|---|----------|--------------|-------|
| SPC Daily Rank | | | |
| Convective Outlooks | 54% | 2.3 | 59% |
| Mesoscale Convective Outlooks and Discussions | 5% | 3.9 | 42% |
| Severe Thunderstorm and Tornado Watches | 40% | 2.1 | 77% |
| Watch Status Messages | 9% | 3.5 | 58% |
| Enhanced Thunderstorm Outlooks | 3% | 4.0 | 50% |
| Public Severe Weather Outlooks | 24% | 3.1 | 70% |
| Storm Reports Webpage | 4% | 4.8 | 48% |

| SPC Severe Weather Rank | | | |
|---|-----|-----|-----|
| Convective Outlooks | 38% | 2.8 | 57% |
| Mesoscale Convective Outlooks and Discussions | 10% | 3.7 | 43% |
| Severe Thunderstorm and Tornado Watches | 50% | 1.9 | 82% |
| Watch Status Messages | 10% | 3.3 | 64% |
| Enhanced Thunderstorm Outlooks | 3% | 4.0 | 53% |
| Public Severe Weather Outlooks | 21% | 3.2 | 72% |
| Storm Reports Webpage | 4% | 4.8 | 51% |

SPC Convective Outlook, Mesoscale Convective Outlook, and SPC Product Usefulness Rankings

SPC Convective Outlook Usefulness usage percentage all range in the 60s with Categorical risk info the highest Rank 1 percentage at 57%. The highest Rank 1 percentage for SPC Mesoscale Convective Outlook Usefulness is Watch issuance information at 56%. Graphic, at 65%, is highly ranked at 1 with 72% usage for SPC Watch Product Usefulness.

| | % Rank 1 | Average Rank | % Use |
|--|------------|--------------|------------|
| SPC Convective Outlook Usefulness | | | |
| Categorical risk info | 57% | 1.6 | 67% |
| Probabilistic information | 32% | 1.9 | 66% |
| Text discussion | 30% | 2.1 | 64% |
| | | | |
| | | | |
| | Ecol | 4.0 | 570/ |
| | 56% | 1.8 | 57% |
| Watch issuance probability info | 56% 35% | 1.8 2.0 | 57% 56% |
| SPC Mesoscale Convective Outlook Usefulness Watch issuance probability info Graphical information Summary discussion | | | |

| SPC Watch Product Usefulness | | | |
|------------------------------|-----|-----|-----|
| Graphic | 65% | 1.5 | 72% |
| Text discussion | 27% | 2.1 | 67% |
| Watch probabilities | 25% | 2.1 | 69% |

Most receive SPC information from Local TV or Radio and Local NWS Forecasts

The SPC Website is another source widely used for information. Contract commercial service has the lowest percentage at 6%. 42% of respondents say they disseminated Severe Thunderstorms/Tornado Watches digitally.

| | Percent | Frequency |
|--|---------|-----------|
| Receive SPC information | | |
| Local TV or Radio | 59% | 4,445 |
| State or local government messaging system | 17% | 1,244 |
| Free commercial service | 39% | 2,916 |
| Contract commercial service | 6% | 414 |
| NOAA All-Hazards Weather Radio | 50% | 3,727 |
| SPC Website | 53% | 3,982 |
| Local NWS Forecasts | 57% | 4,245 |
| Digital media | 16% | 1,167 |
| Other | 4% | 326 |
| Number of Respondents | 7,5 | 512 |

| Disseminate digitally | | |
|-------------------------------------|-----|-------|
| Convective Outlooks | 15% | 1,145 |
| Severe Thunderstorm/Tornado Watches | 42% | 3,152 |
| Mesoscale Convective Discussions | 11% | 810 |
| Public Weather Outlooks | 23% | 1,709 |
| None | 52% | 3,920 |
| Number of Respondents | 7,5 | 512 |

Most users disseminate products through Email and Text Messaging

Friends and Family are targeted audiences most often, while Aviation Interests and Public transportation officials are the least.

| | Percent | Frequency |
|-----------------------|---------|-----------|
| Digital media channel | | |
| Facebook | 38% | 1,381 |
| Twitter | 13% | 480 |
| Text messages | 47% | 1,676 |
| Email | 65% | 2,349 |
| Personal website | 14% | 491 |
| Number of Respondents | 3,5 | 592 |

| Target audience | | |
|---------------------------------|-----|-------|
| Friends and family | 92% | 3,297 |
| Emergency officials | 17% | 595 |
| Emergency management personnel | 13% | 458 |
| State and local government | 9% | 335 |
| Education officials | 8% | 304 |
| Broadcast/print news media | 5% | 197 |
| Aviation interests | 3% | 91 |
| Recreational users | 15% | 534 |
| Hospitals/Medical facilities | 5% | 185 |
| Commercial businesses | 8% | 277 |
| Public transportation officials | 3% | 113 |
| Other | 10% | 357 |
| Number of Respondents | 3,5 | 592 |

National Aviation Weather Services – Optional Section Detailed Results

Type of Aviation

Private Aircraft for Pleasure and General Aviation are the most occurring type of aviation used. Dispatcher, Commercial Freight, Commercial Passenger, Private Aircraft for Business make up just 19%.

| | Percent | Frequency |
|-------------------------------|---------|-----------|
| Type of aviation | | |
| General Aviation | 32% | 188 |
| Dispatcher | 2% | 12 |
| Commercial Freight | 2% | 10 |
| Commercial Passenger | 7% | 41 |
| Private Aircraft for Business | 8% | 44 |
| Private Aircraft for Pleasure | 30% | 176 |
| Other | 19% | 112 |
| Number of Respondents | 58 | 33 |

Usage of Aviation Products

A large percentage of respondents utilized Surface Observations, TAFs, Wind-Temp aloft and FAs more than 4 times per month.

| | 1-2 times per year | 3-6 times per year | At least once per month | 2-4 times per month | More than 4 times per month | Never |
|--|-----------------------|-----------------------|-------------------------|------------------------|-----------------------------------|-------|
| Terminal Aerodrome Forecasts - TAFs | 5% | 7% | 10% | 11% | 55% | 12% |
| Area Forecasts - FAs | 6% | 10% | 13% | 14% | 47% | 10% |
| Surface Observations - METARs -SPECIs | 3% | 5% | 10% | 9% | 65% | 8% |
| Convective Collaborative Forecast Product - CCFP | 8% | 8% | 11% | 9% | 26% | 39% |
| Significant Meteorological Information - SIGMET | 6% | 8% | 12% | 15% | 45% | 14% |
| Airmens Meteorological Information - AIRMET | 6% | 8% | 12% | 14% | 44% | 16% |
| Current Icing Product - CIP-Forecast Icing Product - FIP | 11% | 18% | 10% | 11% | 24% | 26% |
| Graphical Turbulence Guidance - GTG | 12% | 8% | 11% | 10% | 26% | 33% |
| Center Weather Advisories - CWAs | 9% | 9% | 13% | 11% | 30% | 28% |
| Meteorological Impact Statements - MISs | 10% | 8% | 8% | 6% | 17% | 50% |
| Airport Weather Warning - AWW | 10% | 10% | 9% | 7% | 22% | 40% |
| Significant Weather Charts - SIGWX | 8% | 9% | 12% | 12% | 38% | 22% |
| Volcanic Ash Advisories | 18% | 4% | 2% | 3% | 7% | 66% |
| LAMP | 8% | 2% | 2% | 3% | 8% | 78% |
| Wind-Temp aloft | 5% | 7% | 11% | 13% | 52% | 13% |
| Aviation Discussion | 9% | 5% | 10% | 9% | 35% | 32% |

Training and information received

Of the 16% who are aware of aviation training offered by NWS, only 14% have utilized the programs. Respondents receive their information mostly from ADDS/Aviation Weather Center Website, FFA's DUAT/DUATS, and FAA's AFSS/FSS sources.

| | Percent | Frequency |
|---|---------|-----------|
| Aware of any aviation training offered by the NWS | | |
| Aware | 16% | 96 |
| Unaware | 84% | 487 |
| Number of Respondents | 58 | 83 |

| Used any aviation training offered by NWS | | |
|---|-----|----|
| Used | 14% | 13 |
| Not used | 86% | 83 |
| Number of Respondents | g | 6 |

| Receive Information | | |
|--------------------------------------|-----|-----|
| ADDS/Aviation Weather Center website | 72% | 420 |
| Commercial vendor | 29% | 171 |
| FAA's DUAT/DUATS | 49% | 284 |
| FAA's AFSS/FSS | 40% | 232 |
| Television | 24% | 138 |
| WAFS Internet File Service (WIFS) | 5% | 32 |
| None of the above | 11% | 64 |
| Number of Respondents | 5 | 83 |

National Marine Weather Services – Optional Section Detailed Results

Beach Hazard Statement

Of those who have not heard about the new NWS Beach Hazard Statement, 45% are interested in learning more about it. 86% of respondents feel that a Hazard Statement influences their decision to go to the beach at least somewhat.

| Heard about our new NWS Beach Haz |
|--|
| Heard about |
| Did not hear |
| Number of Respondents |
| |
| Interested in learning about NWS Beach |

| | Percent | Frequency |
|--|---------|-----------|
| Heard about our new NWS Beach Hazard Statement | | |
| Heard about | 29% | 265 |
| Did not hear | 71% | 659 |
| Number of Respondents | 924 | |

| Interested in learning about NWS Beach Hazard Statement | | |
|---|-----|-----|
| Interested in learning | 45% | 297 |
| Not interested in learning | 55% | 362 |
| Number of Respondents | 659 | |

| Gather information about beach hazards prior to going | | |
|---|-----------------|-----|
| Gather prior information | 73% | 674 |
| Do not gather prior information | 27% | 250 |
| Number of Respondents | Respondents 924 | |

| Beach Hazard Statement influenced your decision to go | | |
|---|-----|-----|
| A lot | 46% | 427 |
| Some | 40% | 373 |
| Very little | 6% | 59 |
| Not at all | 7% | 65 |
| Number of Respondents | 92 | 24 |

Storm Surges

87% of respondents feel NWS should issue storm surge watches and warnings and almost all would like it to apply to tropical and severe extra-tropical storm events. 47% feel information is most useful in a graphical format.

| | Percent | Frequency |
|--|---------|-----------|
| Experience with storm surges | | |
| I have never have been impacted by one | 48% | 447 |
| It has damaged my property | 8% | 73 |
| I or someone I know had to be rescued from one | 3% | 32 |
| It has caused severe flooding in my area | 23% | 210 |
| Don't know | 7% | 67 |
| Other | 10% | 95 |
| Number of Respondents | 92 | 24 |

| NWS should issue storm surge watches and warnings | | |
|---|-----|-----|
| NWS should | 87% | 804 |
| NWS shouldn't | 13% | 120 |
| Number of Respondents | 924 | |

| New warning should apply to tropical and severe extra-tropical storm events | | |
|---|-----|-----|
| Apply to both | 99% | 794 |
| Not apply to both | 1% | 10 |
| Number of Respondents | 804 | |

| Most useful format | | |
|-----------------------|-----|-----|
| Text | 35% | 319 |
| Graphical | 47% | 437 |
| Digital | 13% | 118 |
| Other | 5% | 50 |
| Number of Respondents | 924 | |

Other Demographics

Just under half of respondents feel 12-24 hours is adequate time to take action prior to an event.

| | Percent | Frequency |
|---|---------|-----------|
| Geographical area to be included in a storm surge warning | | |
| NWS Zone | 23% | 216 |
| County | 17% | 154 |
| Storm-based polygon (as now used for severe thunderstorms, flash floods, and tornadoes) | 55% | 510 |
| Other | 5% | 44 |
| Number of Respondents | | 24 |

| Point that negative storm surge affects operations | | |
|--|-----|-----|
| -1 to -2 ft | 6% | 51 |
| -2 to -3 ft | 12% | 110 |
| -3 to -5 ft | 8% | 78 |
| > -5 ft | 4% | 36 |
| Negative storm surge does not affect how I conduct operations. | 18% | 169 |
| Not applicable | 50% | 466 |
| Other | 2% | 14 |
| Number of Respondents | | 24 |

| Adequate time period to take action prior to event | | |
|--|-----|-----|
| <12 hours | 15% | 70 |
| 12-24 hours | 46% | 210 |
| 24-36 hours | 23% | 107 |
| 36-48 hours | 9% | 40 |
| 2-3 days | 4% | 19 |
| > 3 days | 3% | 12 |
| Number of Respondents | | 58 |

44% of respondents ranked rip currents as number one

Rip currents and lightning-severe thunderstorms have the highest percentage of use, while Heat and Ultra violet light are used less frequently.


| | % Rank 1 | Average Rank | % Use |
|----------------------------------|----------|--------------|-------|
| Beach Hazard Rank | | | |
| Rip currents | 44% | 2.1 | 70% |
| Other dangerous coastal currents | 6% | 3.4 | 47% |
| Sneaker waves | 12% | 3.1 | 44% |
| Lightning-severe thunderstorms | 41% | 2.2 | 72% |
| Rough surf | 21% | 2.7 | 65% |
| Red tide | 11% | 3.3 | 39% |
| Frigid water temperatures | 10% | 3.4 | 20% |
| Heat | 6% | 3.5 | 17% |
| Ultra violet light | 4% | 3.7 | 19% |
| Other* | 27% | 2.5 | 3% |

*Caution: low base

CSI by Key Segments


Region Southern Region is Top Scoring

Southern Region is the highest rated, at 85. Alaska and Pacific show year on year declines – other regions unchanged from last year.




Primary Use of Information NWS Data Providers are most satisfied

Among the primary uses of NWS information, CSI ranges from 81 to 87. NWS data providers remain the highest scoring while Agriculture, Consulting Services, and Research continue to score slightly lower.



CSI by Sector

Government increased 1 point to 85, while the private sector held at 84.



Job decisions on weather info – Demographic Information

The tables below provide demographic information on those who make and do not make job decisions on weather info.

| | Central | Eastern | Southern | Western | Alaska | Pacific |
|-------------------------------|---------|---------|----------|---------|--------|---------|
| Job decisions on weather info | | | | | | |
| Makes decisions | 35% | 32% | 38% | 31% | 49% | 39% |
| Does not make decisions | 65% | 68% | 62% | 69% | 51% | 61% |
| Number of Respondents | 5,595 | 4,747 | 2,899 | 2,890 | 71 | 69 |

| | Makes decisions | Does not makes decisions |
|------------------------|--------------------|--------------------------|
| Sector | | |
| Government | 14% | 2% |
| Commercial | 11% | 2% |
| Not-for-profit sector | 3% | 1% |
| Research/Academia | 2% | 2% |
| Private | 70% | 94% |
| Primary responsibility | | |
| National | 3% | 5% |
| Regional | 8% | 8% |
| Single state | 9% | 9% |
| Mltpl county/parish | 24% | 20% |
| Large city/urban area | 10% | 9% |
| Small city/township | 21% | 23% |
| Rural | 14% | 19% |
| Other | 12% | 7% |

| | Makes decisions | Does not makes decisions |
|-----------------------------------|--------------------|--------------------------|
| Information sources | | |
| NWS Web Sources | 92% | 93% |
| Non-NWS Web Sources | 32% | 33% |
| Mobile devices | 42% | 35% |
| Social Media | 13% | 10% |
| Email Alerts | 23% | 12% |
| NOAA Weather Radio/All Hazards | 48% | 37% |
| NOAA Weather Wire | 8% | 4% |
| Family of Services (FOS) | 5% | 3% |
| Emerg Mgrs Weather Info Net | 8% | 2% |
| NOAAPort | 6% | 4% |
| File transfer services | 7% | 4% |
| Direct interaction with NWS staff | 12% | 2% |
| World Area Forecast System | 2% | 1% |
| DUATS | 3% | 2% |
| Flight Services | 7% | 3% |
| Local or cable TV | 52% | 52% |
| Commercial Radio | 31% | 28% |
| Satellite radio | 5% | 4% |
| Satellite TV | 18% | 15% |
| Newspaper | 17% | 20% |
| U.S. Coast Guard Broadcasts | 9% | 5% |
| NAVTEX receiver | 1% | 0% |
| Immarsat-C SafetyNET | 1% | 0% |
| Radiofacsimile | 1% | 1% |
| Other | 2% | 2% |

Recommendations

Recommendations

Dissemination Services continue to have the strongest impact on NWS Customer Satisfaction. Although most areas are rated very well, some room for improvement is available in regards to "ease of locating/finding information" on weather.gov. Consider a review of recent refresh work for further organization of the site.

While most Routine Forecasts are rated well, confidence in longer range forecasts is substantially lower among NWS customers – especially those 7 days out (or 3 for Amount of Precipitation). Consider building context around longer term forecasts to help set appropriate expectations. Including accuracy detail in communications may help in this endeavor.

Hazardous Services products have a relatively strong impact on Customer Satisfaction and also receive higher ratings overall. For specific warnings, there are no issues (overall) with ease of understanding or timeliness, however perceptions of accuracy lag these other measures somewhat which might have an impact on the decision to take action. Using tornado warnings as an example, the vast majority of survey respondents indicate that they would be at least "somewhat likely" to take action when a warning is issued. However, some would not as they do not believe the warning is accurate or suspect they personally won't be impacted. Continue to educate the public on the severity of warnings and the need to take specific action as suggested.

Note that awareness of "Weather Ready Nation" and "Be a Force of Nature" is quite low. Improving awareness of these initiatives to should help to further NWS/NOAA efforts to promote readiness and emphasize the need to take action based on issued warnings.

CFI Group

Thank you

CFI GROUP 625 Avis Drive Ann Arbor, MI 48108

734.930.9090 (tel) 734.930.0911 (fax)

askcfi@cfigroup.com www.cfigroup.com

CFI GROUP WORLDWIDE

MICHIGAN (USA) - Ann Arbor GEORGIA (USA) - Atlanta ENGLAND (UK) - London SPAIN - Madrid ITALY - Milan FRANCE - Paris CHINA - Shanghai SWEDEN - Stockholm ARGENTINA - Buenos Aires

BRAZIL - Porto Alegre